## REPORT DOCUMENTATION PAGE

Form Approved

OMB No. 0704-0188

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE		3. REPORT TYPE AND DATES COVERED Final Technical Report / 3/1/97 - 2/28/98	
	9/29/98	Final Technical Re		
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS	
Determining Trace Element Concentrations in Marine Larvae Using			ONR	
Electrothermal Vaporization a			N00014-97-1-0344	
6. AUTHOR(S)			,	
Lisa A. Levin				
7. PERFORMING ORGANIZATION NAMES(S) AND ADDRESS(ES)			8. PERFORMING ORGANIZATION REPORT NUMBER	
Scripps Institution of Oceanog	ronhy Marina Lifa Rosaa	roh Group	REPORT NUMBER	
9500 Gilman Drive	napny, Manne Life Hesea	ich Group		
La Jolla, CA 92093-0218				
La 3011a, OA 32030 0210				
9. SPONSORING/MONITORING AGENCY	NAME(S) AND ADDRESS(ES)		10. SPONSORING/MONITORING	
Office of Naval Research			AGENCY REPORT NUMBER	
Attn: Elizabeth J. Turner				
800 North Quincy Street				
Arlington, VA 22217-5500				
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STAT	FEMENT		12b. DISTRIBUTION CODE	
Unrestricted				
13. ABSTRACT (Maximum 200 words) The objective of this DURIP a	award was the acquisition	of an instrument to enha	nce analytical capabilities	
in support of grant no. N000	14-96-1-0025 (Bay Ocear	n Exchange Processes: D	Development and Application	
of a Meroplankton Tracer Ted	chnique). This research i	s concerned with (1) dete	ermining the uptake and	
retention of trace metals by	invertebrate larvae and (2	<ol><li>elemental fingerprinting</li></ol>	g of naturally occurring	
larvae as a means to determ	ine site of origin. The obj	ective was to quantify co	emposition of multiple	
trace elements for small samp	oles (i.e., individual larvae	). With DURIP funds an I	Inductively Coupled	
Plasma-Ontical Emission Spe	ctrometer (ICP-OES, mod	lel Optima 3000DV) was p	ourchased for the Scripps	

Institution of Oceanography analytical facilities. The ICP-OES has been used to character elemental composition of newly hatched crab larvae sampled from San Diego Bay, neighboring embayments and coastal habitats. Results have shown that elements (e.g., copper, aluminum, zinc, strontium) can be quantified for individual larvae and are useful in distinguishing larvae originating from inner vs outer San Diego Bay and coastal habitats. Other applications of the Scripps ICP-OES since its purchase include trace element characterization of (a) contaminated sediments to develop remediation methods (B. Tibo), (b) meteorites to model age of the early solar system (G. Lugmair and C. MacIsaac), and (c) igneous rocks to track earth history (P. Castillo).

14. SUBJECT TERMS	15. NUMBER OF PAGES  3  16. PRICE CODE		
Inductively Coupled Plasma			
Invertebrate larvae, Trace e			
Bay-ocean exchange			
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
Unrestricted	Unrestricted	Unrestricted	None

## Determining Trace Element Concentrations in Marine Larvae Using Electrothermal Vaporization and Laser Ablation Technology

Lisa A. Levin Marine Life Research Group, Scripps Institution of Oceanography La Jolla, California, 92093-0218

> e-mail: llevin@ucsd.edu Phone: (619) 534-3579

> > N00014-97-1-0344

The objective of this DURIP award was the acquisition of an instrument to enhance analytical capabilities in support of grant no. N00014-96-1-0025 (Bay Ocean Exchange Processes: Development and Application of a Meroplankton Tracer Technique). This research is concerned with (1) determining the uptake and retention of trace metals by invertebrate larvae and (2) elemental fingerprinting of naturally occurring larvae as a means to determine site of origin. The objective was to quantify composition of multiple trace elements for small samples (i.e., individual larvae). With DURIP funds an Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES, model Optima 3000DV) was purchased for the Scripps Institution of Oceanography analytical facilities. The ICP-OES has been used to characterize the elemental composition of newly hatched crab larvae sampled from San Diego Bay, neighboring embayments and coastal habitats. Results have shown that elements (e.g., copper, aluminum, zinc, strontium) can be quantified for individual larvae and are useful in distinguishing larvae originating from inner vs outer San Diego Bay and coastal habitats.

The ICP-OES has been made available to all users of the Analytical Facilities at Scripps Institution of Oceanography. Brad Tibo (Marine Biology Research Division), has employed the ICP-OES to characterize and compare sediment trace element compositions between contaminated and control sites as part of a program to develop remediation techniques for estuarine and marine sediments contaminated with heavy metals (e.g., Cr, Cu, Pb). Paterno Castillo (Geosciences Research Division) and associates are using the ICP-OES to obtain high quality trace element data for igneous rocks to (1) constrain the volcanic trace of the Iceland plume in the Axel-Heiberg Island of Canada, (2) track abandoned spreading axes in the eastern Pacific, and (3) examine elemental signatures of the Marquesas Island, central Pacific, and of Tethyan ophiolites in central China. Gunther Lugmair and Chris MacIsaac (Geosciences Research Division) use the ICP-OES to measure the elemental composition (e.g., Mn, Cr, Fe) in meteorite in support of NASA research concerned with modeling the age of the early solar system.

Presentations (Primary Project Only): DiBacco, C. Development of a Meroplankton Tracer Technique. Oceans Sciences Meeting, San Diego, California, 12-16 February 1996.

19981014 008

DiBacco, C., L. Levin. Bay-Ocean Exchange Processes: Development and Application of a Meroplankton Tracer Technique. ONR Harbor Processes Workshop, Washington DC, 12-13 April 1996

DiBacco, C. L. Levin. Trace element contamination of crab larvae in San Diego Bay: Consequences and Application as a Meroplankton Tracer Technique. Marine Benthic Ecology Meeting, Portland, Maine 3-6 April 1997.

DiBacco, C. Copper and Crab Larvae in San Diego Bay, SPAWAR Copper Workshop, San Diego California, 3-4 June 1997

DiBacco, C. Temporal and Vertical Distributions of Crab Larvae in San Diego Bay. Oceans Sciences Meeting, San Diego California, 9-13 February 1996.

DiBacco, C., L. Levin. Bay-Ocean Exchange Processes: Development and Application of a Meroplankton Tracer Technique. ONR Harbor Processes Workshop, Washington, DC, 28-29 May 1998

## Posters:

DiBacco, C. The Influence of San Diego Bay Versus Coastal Waters on Development and Survival of Shore Crab Larvae (*Pachygrapsus crassipes*) in Southern California. University of California Toxic Substance Research and Teaching Program Symposium. 23-25 April 1998, Berkeley, Ca

## Papers in preparation:

Use of naturally occurring and anthropogenically enriched trace elements to track marine invertebrate larvae.

Application of a New Larval Tracking Technique to Validate Flux Estimates of Crab Larvae (*Pachygrapsus crassipes*) in San Diego Bay, California

The Influence of Bay Versus Coastal Waters on Development and Survival of Shore Crab Larvae (*Pachygrapsus crassipes*) in Southern California

Temporal-Spatial Distributions of *Pachygrapsus crassipes* (Decapoda, Brachyura) in San Diego Bay